

Draft advertisement:

**OFFICE OF THE PRINCIPAL
D.R. NAYAPALLI COLLEGE BHUBANESWAR**

Website: <https://drnayapallicollege.in>

Email: drnc22@yahoo.com

Letter No.: DRNC/329/26

Date: 27/06/26

Office of the Principal

D.R. Nayapalli College, Bhubaneswar

QUOTATION CALL NOTICE

Sealed quotations are invited from firms having GSTN registered suppliers for supply of IT accessories/items (Desktop, UPS, MFM Printers) & Public Address System (Speaker, Wireless Microphone, Amplifier, Audio Mixer, Portable PA System) including GST for development of the college. The details of the quotation regarding material specifications to be supplied will be available on the college official website <https://drnayapallicollege.in> from the date of advertisement. The quotation should reach the undersigned on or before **06.07.2026** by **4:00 p.m.** The undersigned has every right to cancel the quotation without stating any reason thereof.


27.06.26

Principal

D.R. Nayapalli College
Nayapalli, BBSR

OFFICE OF THE PRINCIPAL
D.R. NAYAPALLI COLLEGE BHUBANESWAR

Website: <https://drnayapallicollege.in>

Email: drnc22@yahoo.com

Letter No.: DRNC/78/26


Date: 27/06/26

QUOTATION CALL NOTICE

Sealed quotations are invited from suppliers, authorized firms/agencies having PAN/GSTN updated clearance for supply of All In One Desktop Computer, UPS, Printer & Public Address System from Govt. Grant. The quotations must reach the undersigned on or before **06.07.2026** by **4.00 P.M.** The authority reserves the right to accept and reject any or all the quotations without assigning any reasons thereof. The quotation price must include GST, all taxes, transportation & installation. The detailed specifications of the required items are given below. (Quote separately SI No- 04 to 09).

Specifications

SI No	Name of the Item	Specification	Quantity
1.	All in One Desktop Computers (Make: Dell)	Intel Q series Q670, i5-14500, SSD 512 GB, RAM 8 GB DDR5, Display 23.8-inch FHD, inbuilt Windows 11, 12th generation, MSO + O365, Camera, Bluetooth connectivity, Dual Speaker, Keyboard and Mouse. MAKE: Dell	08
2.	UPS Systems	600 VA UPS, Input: 160V-280V, Output: 180VAC-250VAC, Battery: Exide/Quanta/Uplus, Battery backup minimum 15 minutes, Warranty 3 years. Makes: V-Guard/Microtek/Luminous. MAKE: Microtek MODEL: UPS 600VA Legend-650S	08
3.	Multi-function Printer	Make: Epson MODEL: Ecotank L3250 Wi-Fi All-in-One Printer	01
4.	Speaker	MAKE: Ahuja MODEL: SRX-510-400 Watt. Speaker stand (big size). Speaker wall mounting stand.	
5.	Wireless Microphone	MAKE: Ahuja MODEL: AWM700U2	
6.	Amplifier	MAKE: Ahuja MODEL: 250 Watt Ahuja Amplifier - SSA250DP MODEL: 350 Watt Ahuja Amplifier - SSA350DP	
7.	Audio Mixer	MAKE: Ahuja MODEL: FMX-108DP with connectivity cord	
8.	Portable PA System	MAKE: Ahuja MODEL: WP225 with head band	
9.	Portable PA System	MAKE: Ahuja MODEL: Aspire-208	


Principal
D.R. Nayapalli College
Nayapalli, BBSR

2. AIO - Intel I5

Motherboard	
Chipset Series	Intel Q series
Chipset Number	Intel Q670
Expansion Slot(Mdot 2)	2 or higher
Processor	
Processor Make	Intel
Processor Generation	14
No Of Cores per processor	10 or higher
Processor Base Frequency (GHZ)	2.5 or higher
Processor Description	Intel Core I5
Processor Number	Intel Core i5-14500
Out of band management	NA
Cache (MB)	24
Graphics	
Graphics Type	Integrated
Graphics Card Description	UHD graphics
Size of Memory in case of Dedicated Graphic Card (GB)	0
Size of VRAM in Case of integrated Graphics (MB)	0
Operating System	
Operating System (Factory Pre loaded)	windows 11 Professional
Recovery Image Media	CD from the OEM Stored in partition of Hard disk, USB Drive from the OEM, On Line Cloud
OS certification	windows
Memory	
Type of RAM	DDR5
Ram Size (GB)	16
RAM speed(MHz)	4800
Total no of DIMM Slots Available	4
No of Dimm Slots populated	2
RAM Expandibility	64
Storage	
Types of Drives used to populate the internal Bays	SSD
Number of internal Bays Populated with HDD	0
Capacity of Each HDD	NA
Total HDD Capacity(GB)	0
No of internal Bays populated with SSD	1
Capacity of each SSD (GB)	512
Total SSD Capacity (GB)	512
Optane Memory	0
Display	
Display Size	23.8
Display Type	Non Touch

Panel Technology	IPS/TN/VA
display Resolution	1920*1080
Availability of Web Cam integrated with display	yes
If yes, Resolution of Web Cam	FHD
Availability of Speakers integrated with display	yes
If Yes, speakers available	2
Connectivity	Yes
Wireless connectivity	wifi 6
If Yes, Types of wireless connectivity	1
No of ethernet ports	10/100/1000 on board integrated gigabit ports
Types of Ethernet Ports	Yes
Bluetooth Connectivity	Bluetooth version 5.3
If Yes, Version of Bluetooth Available	
No of USB Version 2 Ports	0
No of USB Version 3 point 2, Gen 1 Ports	2 or higher
No of USB Version 3 point 2, Gen 2 ports	3 or higher
No of USB Type C ports	1 or higher
No of serial Ports	0
No of VGA ports	0
No of HDMI Ports	1
No of DP ports	1
Optical Drive	Generic
Audio In	N/A
Audio Out	Yes
Headphone out	Yes
Microphone in	Yes
Stand	Yes, Dual - Array Height adjustable
Power supply	Power
Power supply capacity (watt)	Internal(without any adapter) 150 or higher
Minimum power efficiency	85-90
Certification	
HS Registration	Yes
ROHS Compliance	Yes
DEE Energy Star for given model	Yes
Other certification	TCO, UL, FCC, CE, ISO 9001, 14001, 27001, 20001
Mouse connectivity	wired
Type of mouse	optical scroll
Keyboard Connectivity	wired
Type of Keyboard	standard
Operating Conditions	
Minimum Operating Temperature	5 degree celsius
Maximum Operating Temperature	35 degree celsius
Minimum Operating Humidity	5
Maximum Operating Humidity	90
Warranty	5
Onsite Onin warranty	
OS certification	Windows & UBUNTU/Redhat/Suse/Linux

4. UPS

		600 VA UPS
S/N	Parameter	Minimum Specifications
1	Capacity	600 VA or more Line Interactive
2	Technology	Automatic Voltage Regulation
3	Input Frequency Range	50 Hz +/- 5%
4	Output Frequency Range	50 Hz +/- 5%
5	Input Voltage	160 V - 280 V, Single phase AC
6	Output Voltage	180VAC - 250 VAC +/- 10%
7	Voltage Regulation	+/- 10% (or better)
8	Output Waveform	Modified Sine Wave
9	Output Power Factor	0.6 or more
10	Battery type	SMF-VRLA built-in. Minimum Vah should be 84 Vah
11	Battery make	Exide/Quanta/Uplus/NED/Panasonic /Yuasa/Rocket (Battery)
12	Battery Backup	Minimum backup of 15 Minutes
13	Operating Temperature	0 to 40 Degree Celsius
14	Alarms & Indications	All necessary alarms & indications essential for performance monitoring of UPS like mains presence or fail, UPS mode, low battery, overload • If input voltage goes outside the range 160V-280V, the system shall switch over to UPS mode, • Over Voltage, short circuit and overload at UPS output terminal, no load shut down, • Under voltage at battery terminal, Battery over charge
15	Protections	• It should protect from input voltage variation
16	Certifications	BIS certified at the time of bidding
17	Warranty of UPS and Battery	The UPS warranty must be 3 years, during the contract bidder has to ensure the battery life to provide required backup time & during the contract period as when required bidder has to replace the batteries without additional cost to the tenderer. Batteries support must be up to 3-years
18	Certifications	BIS, ISO 9001:2015, ISO 14001:2015, ISO 45001:2018, ISO 20000-1:2011, ISO 27001:2013, ISO 50001:2018

Revised specification of Hardware and Microsoft Office with ATC

19	Web Support	It is mandatory to provide online centralized call tracking system Like OVSD (Open view Service Desk) for monitoring of logged calls viewing through web / windows based access for at least 2 officials.
----	-------------	---